

Pool Copings and Slotted Grates





TABLE OF CONTENTS

TITLE	PAGE No.
Pool Coping Designs.....	1
Pool Coping Series & Skimmer Pad.....	2
Typ. Poolside Coping w/Bullnose Isometric, Section & Plan View.....	3
Pool Slotted Grates.....	4
Triple Beam Pool Copings with Isometric, Section & Plan View	5
Center Drain Slot Coping with Isometric, Section & Plan View.....	6
Slotted Grate Zero Entry with Isometric, Section & Plan View.....	7




KerckhoffStone



CONCRETE HARDSCAPE SOLUTIONS

POOL COPING DESIGNS


Page 1




WEIR CAP




SQUARE EDGE




REGENT




VISTA




MEDIUM LINE




PARK




SAVOY




SLIM LINE



TRIESTE



SINGLE BULLNOSE



ENCLAVE

NOTES:

1. 6,500 P.S.I. DESIGN MIX
2. ASTM C-1364 FOR CAST-STONE
3. SPECIFICATION FOR CAST-STONE 04720
4. AVAILABLE IN OVER 85 COLORS & ALL STANDARD KERCKHOFFSTONE TEXTURES
5. COLOR & TEXTURES WILL VARY
6. ABRASION AND MILDEW RESISTANT
7. ALL OVERSIZE THICK COPINGS ARE REINFORCED AS REQUIRED

Fabrication Notes:

1. Drawing represents standard shape & sizes
2. Coping can be customized per individual project.
3. Coping can be fabricated with radius.



Certified Plant


PH: (561) 330-3737 FAX: (239) 566-8432

www.kerckhoffstone.com

1901 ELSA ST.

NAPLES, FL 34109

© 2021



KerckhoffStone

CONCRETE HARDSCAPE SOLUTIONS

Note:

Skimmer Cover Provided
by Contractor





Typ. Skimmer Pad

POOL COPING SERIES

Page 2


Fabrication Notes:

1. Drawing represents standard shape & sizes
2. Coping can be customized per individual project.
3. Coping can be fabricated with radius.




N.T.S.

N.T.S.




SINGLE BN COPING

N.T.S.




DOUBLE BN COPING

N.T.S.




SQUARE EDGE COPING

N.T.S.




SINGLE BN COPING CORNER

N.T.S.



DOUBLE BN COPING CORNER

N.T.S.




SQ. EDGE COPING CORNER

N.T.S.

Fabrication Notes:


1. Drawing represents standard shape & sizes
2. Coping can be customized per individual project.
3. Coping can be fabricated with radius.



Typ. Single Bullnose Coping Plan View

N.T.S.


**POOLSIDE COPING
W/ BULLNOSE**



Typ. Single bullnose Coping Section


N.T.S.

**POOLSIDE COPING
W/ BULLNOSE**



Isometric View

N.T.S.





KerckhoffStone

CONCRETE HARDSCAPE SOLUTIONS

SLOTTED GRATE SERIES


FABRICATION NOTES:

1. DRAWING REPRESENTS STANDARD SHAPE & SIZES.
2. SLOTTED GRATES CAN BE CUSTOMIZED PER INDIVIDUAL PROJECT.
3. SLOTTED GRATES CAN BE FABRICATED WITH RADIUS.
4. WIDTH DIMENSIONS VARIES FROM 8" to 18" IN TOTAL SLOTTED GRATE WIDTH.




RADIUS SLOTTED GRATE

N.T.S.




STRAIGHT SLOTTED GRATE

N.T.S.



STRAIGHT SLOTTED GRATE

N.T.S.




SLOTTED GRATE CORNER

N.T.S.

NOTES:

1. 6,500 P.S.I. DESIGN MIX
2. ASTM C-1364 FOR CAST-STONE
3. SPECIFICATION FOR CAST-STONE 04720
4. AVAILABLE IN OVER 85 COLORS & ALL STANDARD KERCKHOFFSTONE TEXTURES
5. COLOR & TEXTURES WILL VARY
6. ABRASION AND MILDEW RESISTANT
7. ALL SLOTTED GRATES ARE REINFORCED WITH GALVANIZED STEEL.
8. FLOW RATE EXCEEDS 1.5 GALLONS/ SECOND



CLEAN OUT

N.T.S.



Certified Plant


PH: (561) 330-3737 FAX: (239) 566-8432

www.kerckhoffstone.com

1901 ELSA ST.

NAPLES, FL. 34109

© 2021



KerckhoffStone


CONCRETE HARDSCAPE SOLUTIONS

TRIPLE BEAM POOL COPINGS

Page 5


FABRICATION NOTES:

1. DRAWING REPRESENTS STANDARD SHAPE & SIZES.
2. SLOTTED GRATES CAN BE CUSTOMIZED PER INDIVIDUAL PROJECT.
3. SLOTTED GRATES CAN BE FABRICATED WITH RADIUS.
4. WIDTH DIMENSIONS VARIES FROM 8" to 18" IN TOTAL SLOTTED GRATE WIDTH.




Typ. Triple Beam Pool Coping Plan View

N.T.S.



Typ. Triple Beam Pool Coping Section

N.T.S.



Isometric View

N.T.S.



Certified Plant

PH: (561) 330-3737


FAX: (239) 566-8432

www.kerckhoffstone.com

1901 ELSA ST.

NAPLES, FL 34109

© 2021



KerckhoffStone


CONCRETE HARDSCAPE SOLUTIONS

CENTER DRAIN SLOT COPINGS

Page 6


FABRICATION NOTES:

1. DRAWING REPRESENTS STANDARD SHAPE & SIZES.
2. COPING CAN BE CUSTOMIZED PER INDIVIDUAL PROJECT.
3. COPING CAN BE FABRICATED WITH RADIUS.




Center Slot Deck Side & Pool Side & Clean-out Copings Plan View

N.T.S.




Center Slot Deck & Pool Side Section

N.T.S.



Isometric View

N.T.S.



Certified Plant

PH: (561) 330-3737


FAX: (239) 566-8432

www.kerckhoffstone.com

1901 ELSA ST.

NAPLES, FL. 34109

© 2021



KerckhoffStone


CONCRETE HARDSCAPE SOLUTIONS

SLOTTED GRATE ZERO ENTRY

Page 7


FABRICATION NOTES:

1. DRAWING REPRESENTS STANDARD SHAPE & SIZES.
2. SLOTTED GRATES CAN BE CUSTOMIZED PER INDIVIDUAL PROJECT.
3. SLOTTED GRATES CAN BE FABRICATED WITH RADIUS.
4. WIDTH DIMENSIONS VARIES FROM 8" to 18" IN TOTAL SLOTTED GRATE WIDTH.




Slotted Grate Zero Entry Plan View

N.T.S.



Slotted Grate Zero Entry Section

N.T.S.



Isometric View

N.T.S.



Certified Plant

PH: (561) 330-3737

FAX: (239) 566-8432

www.kerckhoffstone.com

1901 ELSA ST.

NAPLES, FL. 34109

© 2021